

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product identifier:

Product name: Sulphuric Acid 51-98%
Synonyms, Trade Names: Concentrated Sulfuric acid, Oil of vitriol, Sulphuric acid, Battery acid
REACH Registration number: 01-2119458838-20
CAS-No.: 7664-93-9
EC No.: 231-639-5

Relevant identified uses of the substance or mixture and uses advised against:

Identified uses: Treatment of drinking water, has received approval by the European Committee for Standardisation. Manufacture of substances. Intermediate Processing aid pH regulating agent
Battery electrolyte Pharmaceutical substance Plating and metal surface treatment agents Flue gas scrubber Laboratory agent

Company name: Nexchem Ltd
Unit 3 Barshaw Park
Leycroft Road
Leicester
LE4 1ET
Tel: 0116 2311130
24/7 Emergency Tel: 0800 246 1274
Email: sales@nexchem.co.uk

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture:

Classification (EC 1272/2008):

Physical and Chemical Hazards: Not classified.

Human health: Skin Corr. 1A - H314

Environment: Not classified.

Classification (1999/45/EEC): C;R35

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SAFETY DATA SHEET

Sulphuric Acid 51-98%

Issued: 06/09/2016

Page 2

Human health: The IARC has issued the following statement (Monograph 100F): "There is sufficient evidence in humans for the carcinogenicity of mists from strong inorganic acids. Mists from strong inorganic acids cause cancer of the larynx. There is limited evidence for a causal association of mists from strong inorganic acids with cancer of the lung. Mists from strong inorganic acids are carcinogenic to humans (Group 1).

Label elements:

EC No.: 231-639-5

Contains: Sulphuric acid

Label In Accordance With (EC) No. 1272/2008



Signal Word: Danger

Hazard Statements: H314 Causes severe skin burns and eye damage.

Precautionary Statements: P280 Wear protective gloves/protective clothing/eye protection/face protection.
P303+361+353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Supplementary Precautionary Statements:

P260 Do not breathe vapour/spray.
P264 Wash contaminated skin thoroughly after handling.
P321 Specific treatment (see medical advice on this label).
P301+330+331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P304+340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P310 Immediately call a POISON CENTER or doctor/physician.
P363 Wash contaminated clothing before reuse.
P405 Store locked up.
P501 Dispose of contents/container to...

Other hazards:

3. COMPOSITION / INFORMATION ON INGREDIENTS

Mixtures:

Sulfuric acid: 60-100%

CAS-No.: **EC No.:**

Classification (67/548/EEC) Classification (EC 1272/2008)

C;R35. Skin Corr. 1A - H314

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

[cont...]

SAFETY DATA SHEET

Sulphuric Acid 51-98%

Issued: 06/09/2016

Page 3

REACH Registration number: 01-2119458838-20

CAS-No.: 7664-93-9

EC No.: 231-639-5

4. FIRST AID MEASURES

Description of first aid measures:

General information: Speed is essential! Get medical attention immediately!

Inhalation: Remove victim immediately from source of exposure. Give oxygen if necessary. Apply artificial respiration if breathing has ceased or is failing. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance.

Ingestion: If confined to the mouth, rinse mouth thoroughly and ensure water is not swallowed. If swallowed, drink plenty of water. If substance has been swallowed, give water to drink immediately. Do not induce vomiting.

Skin contact: Remove contaminated clothes and rinse skin thoroughly with water.

Eye contact: Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart.

Most important symptoms and effects, both acute and delayed:

Inhalation: Mist/droplets are irritating to the respiratory tract, and will cause a burning sensation in the throat, coughing, and breathing difficulties. Pulmonary oedema (excessive liquid in the lungs) can occur after inhalation of higher amounts. Long-term exposure may cause cancer of the larynx. Long-term, low-level exposure may cause erosion and discolouration of teeth.

Skin contact: Causes severe burns; may lead to permanent scarring.

Eye contact: Risk of severe damage to eyes. Burns can occur. May cause long-term damage and even loss of sight.

Indication of any immediate medical attention and special treatment needed:

After treatment keep patient under observation for 48 hours, as delayed pulmonary oedema may develop.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Use fire-extinguishing media appropriate for surrounding materials. Use water to cool containers.

Special hazards arising from the substance or mixture:

Unusual Fire & Explosion Hazards: Oxidising agent. Fire causes formation of toxic gases.

Advice for fire-fighters:

Protective equipment for fire-fighters: Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

[cont...]

SAFETY DATA SHEET

Sulphuric Acid 51-98%

Issued: 06/09/2016

Page 4

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Wear protective clothing as described in Section 8 of this safety data sheet.

Environmental precautions:

Do not discharge onto the ground or into water courses. Avoid discharge into drains. Spillages or uncontrolled discharges into watercourses must be IMMEDIATELY alerted to the Environmental Agency or other appropriate regulatory body.

Methods and material for containment and cleaning up:

Small Spillages:

Absorb spillage with non-combustible, absorbent material. Do not use sawdust or other combustible material. Flush with plenty of water to clean spillage area.

Large Spillages:

Neutralise with slaked lime (calcium hydroxide) or soda ash (sodium carbonate) and flush with plenty of water. Transfer to a container for disposal. Extensive fumes may be released.

Reference to other sections:

7. HANDLING AND STORAGE

Precautions for safe handling:

Wear appropriate protective clothing. Ventilate well, avoid breathing vapours. Use approved respirator if air contamination is above accepted level. Avoid contact with skin and eyes. Never add water to sulfuric acid. Dilute by slowly adding acid to water, with stirring. Keep away from metals, organics, nitrates, chlorates, carbides and hot surfaces, as corrosive and toxic decomposition products can be formed.

Conditions for safe storage, including any incompatibilities:

Store in a cool and well-ventilated place. Store in vessels of mild steel. Note that dilution below 70% will allow sulfuric acid to attack steel.

Suitable containers:

Plastic. Stainless steel. Store away from: Alkalis. Caustic products. Strong oxidising agents.

Specific end use(s):

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters:

| Name | STD | TWA - 8 Hrs | STEL - 15 Min | Notes |
|----------------|-----|------------------------|---------------|-------|
| Sulphuric acid | | 0.05 mg/m ³ | | |

Exposure controls:

Protective equipment:



[cont...]

SAFETY DATA SHEET

Sulphuric Acid 51-98%

Issued: 06/09/2016

Page 5

| | |
|-------------------------------|---|
| Engineering measures: | Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded. |
| Respiratory equipment: | Wear suitable respiratory protection. |
| Hand protection: | Use protective gloves. Rubber or plastic. |
| Eye protection: | Goggles/face shield are recommended. |
| Other Protection: | Chemical suit and boots if handling large quantities. |

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties:

| | |
|--|--------------------------------------|
| Appearance: | Clear liquid. |
| Colour: | Colourless. |
| Odour: | Odourless. |
| Solubility: S | Soluble in water. |
| Initial boiling point and boiling range (°C): | 303 For 96% concentration. |
| Melting point (°C): | -14C For 96% concentration. |
| Relative density: | 1835 20 For 96% concentration. |
| Bulk Density: | 1835 kg/m3 For 96% concentration. |
| pH-Value, Conc. Solution: | <0.1 |
| Other information: | |

10. STABILITY AND REACTIVITY

Reactivity:

Chemical stability:

Possibility of hazardous reactions:

| | |
|-----------------------------|--|
| Conditions to avoid: | Avoid exposure to high temperatures or direct sunlight. Store in a well-ventilated area. Store in vessels suitable for substances of low pH. Avoid contact with: Strong alkalis. Strong oxidising agents. |
|-----------------------------|--|

Incompatible materials:

| | |
|----------------------------|--|
| Materials to avoid: | Strong alkalis. Organics. Reacts violently with water; ensure acid is always added to water, never the reverse. Avoid contact with sulphides, selenides or arsenic compounds to prevent formation of the toxic gases hydrogen sulphide, hydrogen selenide, or arsenous hydride. Solid metals (except stainless steel). Powdered metal. |
|----------------------------|--|

Hazardous decomposition products:

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects:

| | |
|------------------------|--|
| Acute toxicity: | Acute Toxicity (Oral LD50) 2140 mg/kg Rat |
|------------------------|--|

[cont...]

SAFETY DATA SHEET

Sulphuric Acid 51-98%

Issued: 06/09/2016

Page 6

Acute Toxicity (Inhalation LC50)

320 mg/l (vapours) Mouse

Inhalation:

Pulmonary oedema (excessive liquid in lungs) can occur after inhalation of higher amounts. Mist/droplets are corrosive to the respiratory tract, and will cause a burning sensation in the throat, coughing and breathing difficulties. Long-term exposure may cause cancer of the larynx.

Skin contact:

Causes severe burns. May lead to permanent scarring.

Eye contact:

Risk of serious damage to eyes. Causes burns. Contact with concentrated chemical may very rapidly cause severe eye damage, possibly loss of sight.

Toxicological information on ingredients

Sulphuric acid

12. ECOLOGICAL INFORMATION

Toxicity:

Acute Toxicity - Fish

48 hours 49 mg/l *Lepomis macrochirus* (Bluegill)

Persistence and degradability: Remains indefinitely in environment as sulphate.

Bioaccumulative potential:

Mobility in soil:

Results of PBT and vPvB assessment:

Other adverse effects: Release into drains will contribute to the acidification of effluent treatment systems, and injure sewage treatment organisms.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods:

Neutralise with alkaline material, put in sealed container, and dispose in secured landfill. Do not dispose directly into rivers or drains

14. TRANSPORT INFORMATION

UN number:

UN No. (ADR/RID/ADN): 1830

UN proper shipping name:

Proper Shipping Name: SULPHURIC ACID

Transport hazard class (es):

ADR/RID/ADN Class: Class 8: Corrosive substances.

Packing group:

ADR/RID/ADN Packing group: II

Environmental hazards:

Environmentally Hazardous Substance/Marine Pollutant: No.

[cont...]

SAFETY DATA SHEET

Sulphuric Acid 51-98%

Issued: 06/09/2016

Page 7

Special precautions for user:

Hazard No. (ADR): 80 Corrosive or slightly corrosive substance.

Tunnel Restriction Code: (E)

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

National Regulations: Workplace Exposure Limits 2005 (EH40)

Chemical Safety Assessment: A chemical safety assessment has been carried out.

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

16. OTHER INFORMATION

Risk Phrases in full: R35 Causes severe burns.

Hazard Statements in full: H314 Causes severe skin burns and eye damage.

Legal disclaimer: The information contained in this SDS does not constitute a risk assessment, and should not replace the user's own assessment of risks as required by other health and safety legislation. This advice is given by Nexchem Ltd who accept no legal liability for it except otherwise provided by law. The information contained herein is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It should not therefore be construed as guaranteeing specific properties.